AMENDMENT OF SOLICITATION	1. CONTRACT ID CODE		PAGE OF	PAGES		
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCH	ASE REQ. NO.	5. PROJEC	T NO. (If applical	6 ble)
0002	13 APR 01		, 101 /121 /101	0.11.0020		JiC,
6. ISSUED BY CODE	N00173	7. ADMINISTERED BY (	f other than Item 6)	CODE		
CONTRACTING OFFICER NAVAL RESEARCH LABORATORY ATTN: CODE 3230.SK WASHINGTON, DC 20375-5326	INOCI 73			0002		
8. NAME AND ADDRESS OF CONTRACTOR (No., street, of	county. State and ZIP Code	<u> </u>	(X) 9A. AMENDMEN	IT OF SOLIC	ITATION NO	
TO ALL OFFERORS	,,		X N00173-01 9B. DATED (SEE	-R-SK01 TTEM 11) 16 MA TION OF CO	<u>L</u>	NO.
CODE	011 TV 0005					
	M ONLY APPLIES TO	AMENDMENTS OF S	OLICITATIONS			
	JALL ALLUTO	AMERICA OF S	—	-		
solicitation and this amendment, and is received prior to the  12. ACCOUNTING AND APPROPRIATION DATA (If require  13. THIS ITEM O  IT MODIFIES	d) NLY APPLIES TO MO	ODIFICATION OF CON DER NO. AS DESCRIB	ITRACTS/ORDERS ED IN ITEM 14.	• **		
CHECK ONE A. THIS CHANGE ORDER IS ISSUED PUR: NO. IN ITEM 10A.						RDER
B. THE ABOVE NUMBERED CONTRACT/ appropriation date, etc.) SET FORTH II  C. THIS SUPPLEMENTAL AGREEMENT IS	N ITEM 14, PURSUANT TO	THE AUTHORITY OF FAR		changes in	paying office,	
D. OTHER (Specify type of modification as	nd authority)					
		is document and retur			e issuing offic	Эе.
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organise SEE ATTACHED PAGES  Except as provided herein, all terms and conditions of the displayed and the second			changed, remains uncha	inged and in	full force and eff	fect.
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF			116C. DATE S	SIGNED
			·-·•			
(Signature of person authorized to sign)		(Signature	of Contracting Officer)		-	

The purpose of this Amendment is to publish questions and their answers and to extend the closing date.

- 1. The closing date is changed to 20 April 2001, at 1:00 pm.
- 2. Answers to questions received are shown below.
- Q1. Reference Section B. Will the government provide the values for CLINs 0002 and 0003 or should the contractor propose CLIN amounts?
- A1. CONTRACTOR SHOULD PROVIDE.
- Q2. Reference paragraph H-6, CLIN 0002 and Enclosure Number 10. Are replacement tools (part 3 of Enclosure 10) reimbursable under CLIN 0002?
- A2. YES
- Q3. Reference paragraph H-10. Are service calls included under the firm fixed price provisions (CLIN 0001) or under the IDIQ provisions (CLIN 0003)?
- A3. SERVICE CALLS ARE UNDER CLIN 0001 FIRM FIXED PRICE
- Q4. Reference paragraph H-14. Are minor work authorizations included under the firm fixed price provisions (CLIN 0001) or under the IDIQ provisions (CLIN 0003)? Please clarify. The second paragraph of H-14 states that work exceeding 24 hours and falls within the Indefinite Quantity portion of the contract... Is there any demand type work (i.e., NOT PM or scheduled operations) that exceeds 24 labor hours and would not fall within the indefinite quantity portion of the contract?
- A4. CHANGE TO READ WORK EXCEEDING 32 HOURS AND FALLS WITHIN THE INDEFINITE QUANTITY PORTION OF THE CONTRACT. MINOR WORK AUTHORIZATIONS WILL BE ISSUED BY THE COR AND FALL UNDER IDIQ.
- Q5. Reference paragraphs H-10 and H-14. In paragraph H-10 it states that service calls are work that is limited in scope to not more than 32 man-hours. In paragraph H-14 it states that "Minor Work Authorization will be issued for work that requires more than twenty-four (24) manhours...." When does a service call requiring extensive repairs become a minor work authorization; after 24 hours or after 32 hours?

#### A5. 32 HOURS

- Q6. Reference Section L, paragraph L-6. "The technical portion must demonstrate in sufficient detail that the supplies or services proposed comply with the requirements of the RFP's Statement of Work or Specifications." It is unclear what the technical proposal requires. Please clarify.
- A6. CONTRACTORS SHOULD DEMOSTRATE THAT THEY UNDERSTAND EACH OF THE TASKS REQUIRED AND THAT THEY HAVE OR WILL HAVE THE MANAGEMENT AND LABOR SKILLS AND EXPERIENCE TO COMPLETE THEM.
- Q7. Reference Attachment 1 Statement of Work, paragraph 5.0. Is it necessary for pest control personnel to possess a SECRET clearance or can they be escorted when performing their scheduled duties?
- A7. THEY DO NOT REQUIRE A SECRET CLEARANCE AND THEY WILL BE ESCORTED.
- Q8. Reference Enclosure 3, paragraph 3.2. Are landfill costs treated as reimbursable costs under CLIN 0002?
- A8. YES
- Q9. Reference Enclosure 4, paragraphs 1.1.3, 1.1.4, 1.1.5, 1.1.6, 1.1.7, 1.1.8, 1.1.9 and others. All of these paragraphs contain or begin with the phrase, "When ordered by the COR,..." Is work ordered by the COR included under CLIN 0001 or CLIN 0003?
- A9. THIS IS INCLUDED IN CLIN 0001 AND SHOULD BE CHANGED TO READ
- Q10. Reference Enclosure 5, paragraph 4.4. Is gauge calibration treated as reimbursable costs under CLIN 0002?
- A10. THIS IS INCLUDED IN CLIN 0001 FIRM FIXED, PMI.
- Q11. Reference Enclosure 8, paragraph 3.1.1.2, subparagraph (1). Does this mean that all pest control work is IDIQ and performed under CLIN 0003?
- A11. THIS IS INCLUDED UNDER FIRM FIXED, GOVERNMENT WILL REIMBURSE CONTRACTOR FOR MATERIAL COSTS.
- Q12. Reference CLIN 0003 and Enclosure 3 paragraph 2.1.2. Task requirements in this paragraph include carpentry and painting. However, the labor categories of carpenter and

1 2

painter are not listed in the CLIN. Should not these labor categories be added to the IDIQ CLIN?

A12. NO THEY FALL UNDER CLIN 0001 UNLESS THE WORK EXCEEDS 32 HOURS. IF WORK EXCEEDS 32 HOURS THE COR WILL ISSUE A MINOR WORK REQUEST UNDER IDIQ.

Q13. Reference CLIN 0003. If overtime occurs during IDIQ work, will overtime be reimbursed by the government?

A13. YES

Q14. Reference Enclosure 2, paragraph 4.1. "Preventive maintenance shall be performed upon the issuance of job orders." Please clarify the term "job orders". This implies that this preventive maintenance is IDIQ. Is this correct?

A14. NO

Q15. Reference Enclosure 4, paragraphs 1.1.6 and 1.1.7. Will the government reimburse the contractor under CLIN 0002 for equipment rental to provide these services if the equipment is not available as GFE?

A15. YES

Q16. Reference Enclosure 4, paragraph 1.1.8. This paragraph refers to special requirements which average 1,500 hours per year. Is this indefinite quantity work? Please confirm that 1,500 hours per year is required to perform special grounds maintenance.

A16. YES, THIS WORK IS ABOVE THE NORMAL GROUNDS MAINTENANCE AND WOULD INCLUDE SUCH THINGS AS TRIMMING TREES CLEANING UP OLD DEBRIS.

Q17. Reference Enclosure 4, paragraph 1.1.8. In subparagraph (a), the first sentence refers to grounds areas that may not be in the firm fixed portion of the contract. We can not find any definition of what grounds areas are in or out of the fixed price portion of the contract. Paragraph 2.0 defines indefinite quantity work but it is defined by task not by an area of the grounds. What grounds areas are not in the fixed price portion of the contract?

A17. ANY ADDITIONAL AREAS THAT ARE NOT MAINTAINED ON A REGULAR BASIS AND THAT ARE NOT COVERED IN THE FIRM FIXED PORTION OF THE CONTRACT. THIS WORK WILL BE ORDERED BY THE COR UNDER IDIQ.

Q18. What are the normal duty hours at the CBD for functions other than the Central Heating Plant?

A18. 7:45 AM TO 4:15 PM

Q19. Reference Attachment 1, paragraph 14.5. This paragraph implies that all out of normal duty hours work (except the CHP during the heating season) is considered IDIQ? Is this interpretation correct? Please clarify.

A19. YES, IT IS IDIQ

Q20. Reference Enclosure 8. Please confirm that all materials and supplies necessary for the performance of this enclosure are reimbursed by the Government under CLIN 0003.

A20. YES

Q21. The subject RFP Section L-9 indicates that the technical portion of Volume I - Technical/Management Proposal "... must demonstrate in sufficient detail that the supplies or services proposed comply with the requirements of the RFP's Statement of Work or Specifications." The remaining Section L-9 text addresses Past Performance information required for incorporation in Volume I. Section M-1 states that "Technical Proposals will be evaluated on demonstrated compliance with the requirements of the RFP's Statement of Work or Specifications." Can the Government be more specific relative to expected content of the technical portion of Volume I?

## A21. SEE QUESTION AND ANSWER NUMBER 6.

Q22. When reading the section in the solicitation regarding yearly termite inspections to buildings it refers to a Tab B listing of the buildings requiring inspections. I have been unable to locate this Tab B within the solicitation. Can you please assist me with this matter.

# A22. IT SHOULD BE ENCLOSURE 11, PART 2.

Q23. Section G, paragraph G-5 states that the not-to-exceed price stated in Section B is the Government's estimate of the price of the maximum labor and materials required to perform this contract. There are no prices entered in the Contract Line Item Numbers (CLINs) preceded by the works "Not to Exceed" (CLINs 0002, 0003, 0006, 0007, 0010, 0011, 0014, 0015, 0018, and 0019). Does the government intend to provide a dollar amount for these CLINs or is it the contractor's responsibility to estimate a price?

## A23. SEE QUESTION AND ANSWER NUMBER 1.

Q24. Does the current contractor maintain equipment and facility maintenance records on an automated system? If so what automated system is being used and will that system and the current records be provided to the successor contractor?

A24. YES. NO, OFFERORS SHOULD NOT ASSUME THAT THE SYSTEM AND/OR RECORDS WILL BE PROVIDED.

Q25. Section J, Attachment # 1, Enclosure 4, paragraphs 1.1.3 through 1.1.9 lists several tasks related to grounds maintenance (e.g.,grassing, sodding, liming, aerating, thatching, grounds special maintenance and lawn coloring) that are to be performed as ordered by the COR. The estimated man-hours for these tasks is 2,120. Is the cost for these services to be included in the firm fixed price CLINs or will the work be ordered under the indefinite quantity, reimbursable CLINs?

36.

### A25. FFP CLINs

Q26. Section J, Attachment # 1, Enclosure 4, paragraph1.1.12 requires the contractor to grade and maintain dirt roads. There is no road grader included in the government furnished property listing in Section J, Attachment # 1, Enclosure 7. Does the government intend to provide a grader for this function or will this be the responsibility of the contractor?

#### A26. THE GOVERNMENT WILL PROVIDE.

Q27. Schedule B, CLIN 0002 states that the contractor shall furnish materials, supplies and small equipment items required to perform services required under CLINs 0001 and 0003 as set forth in Section C. There are similar CLINs for each of the option periods. The only price element is a "Not to Exceed" \$ amount, that infers this is a cost reimbursable CLIN. This raises two questions: Is CLIN 0002 and corresponding CLINs for option periods cost reimbursable?

A27. YES.

Q28. Does the price included in these CLINs provide for materials and repair parts for such items as replacement of boiler parts in compliance with Section J, Attachment # 1, Enclosure 5, paragraphs 4.1.2 (1) and (2)?

A28. YES.